

MPF PRODUCTS INC.





NOTES:

- 1. MATERIAL: ZnSe
- 2. SURFACE FINISH: 60/40 SCRATCH-DIG
- 3. PARALLELISM: 3 ARC MINUTES OR BETTER
- 4. FLATNESS: $1/20 \lambda$ @ 10.6 MICRONS
- 5. THERMAL RANGE: -100°C TO 200°C
- 6. LEAK RATE < 2X10^-10 ATM CC/SEC HE

UNLESS OTHERWISE SPECIFIED: QUOTATION # **APPROVED** DIMENSIONS ARE IN INCHES NAME DATE MPF PRODUCTS INC **TOLERANCES:** WJ 11/14/2015 DRAWN WJ | 11/14/2015 | **TITLE:** CHECKED ANGULAR: MACH ± 1/2°
TWO PLACE DECIMAL ± .030
THREE PLACE DECIMAL ± .015 ENG APPR. WJ 11/14/2015 VIEWPORT, ZnSe THIRD ANGLE: (UNCOATED) VAC-OPTICS, MATERIAL 0.40" VIÉW, 133CF NEXT ASSY USED ON DOWNLOADED FROM MPFPI.COM URFACE FINISH: REV **FINISH** 63 OR BETTER A14345-1-CF CONFLAT UNLESS OTHERWISE SPECIFIED: PLATING ALL DIAMETERS CONCENTRIC WITHIN .00 Wednesday, November 25, 2015 8:18:59 AM

Zinc Selenide (ZnSe) Viewport, Uncoated, UHV Rated Vacuum Optics, 0.40" View Dia, 1.33" Conflat Flange